



KONICA MINOLTA

PagePro 1350E/EN

# Powerful personal printer Small workgroup printer



REVOLUTION IN LASER PRINTING



KONICA MINOLTA

# Powerful personal printer Small workgroup printer

When it comes to a personal laser printer (1350E) or a network standard workgroup printer (1350EN) in a professional environment, a few fundamentals are paramount: compatibility, reliability, speed, ease of operation and high quality printing. The PagePro 1350E and PagePro 1350EN have all of these, in one compact and durable unit. With superb power ensuring full compatibility with a broad range of enterprise applications, both integrate perfectly into any medium to large-size corporation.

## Powerful, professional, effective

Power. One word that sums up the PagePro 1350E/EN. With PCL® 6 industry-standard emulation, corporations and businesses using a wide variety of enterprise applications will find the PagePro 1350E/EN the uncontested printers of choice. Superb power is also derived from a 200 MHz processor coupled with 32 MB (16 MB on PagePro 1350E) of memory. This ensures rapid page-processing - especially of complex documents - and greatly speeds up any print job. A 250-sheet feeder means loading up with paper is infrequent. A standard integrated network is available for the PagePro 1350EN offering the flexibility of connecting the PagePro 1350EN to the rest of the office. Furthermore, robust design and Konica Minolta technology offer superb reliability.



# PagePro 1350E/EN



## Easy to use and cost-effective

The PagePro 1350E/EN are simple to use and cost-effective to run, saving you both time and money. They are ready to go straight out of the box, cartridges are easy to replace and its robust design means it's virtually maintenance-free. With a high-capacity toner cartridge making replacement infrequent, the PagePro 1350E/EN are the low-expenditure solutions for everyday use.

## Your printing partner

Printing at 20 pages per minute, both printers have all the speed required to print letters, reports, memos, presentations and other material quickly and efficiently. And with 1200 x 1200 dpi print resolution, your documents are clean, crisp and business-like. First sheet printout is just 13 seconds after sending. Functioning by your side on your desktop, the PagePro 1350E/EN give you convenience, privacy and professionalism at your fingertips.

## PagePro 1350E/EN at a glance

- Up to 20 ppm in monochrome A4
- First page out: less than 13 seconds
- Up to 1200 x 1200 dpi Fine ART™ resolution
- PCL® 6, PCL® 5e emulations
- Windows®, Mac® & Linux® compatible
- PagePro 1350EN: 32 MB (max. 160 MB)
- PagePro 1350E: 16 MB (max. 144 MB)
- Parallel interface, USB 2.0 (High-Speed) and standard network (only PagePro 1350EN)
- 250-sheet multi-purpose input tray





KONICA MINOLTA

# PagePro 1350E/EN

## TECHNICAL DATA

### Printing process

Print method: Electro photographic laser  
Print speed: up to 20 ppm A4  
First page out: less than 13 seconds  
Resolution: 1200 x 1200 dpi Fine ART™, 1200 x 600 dpi, 600 x 600 dpi  
Monthly duty cycle: 15,000 sheets  
Machine life: 150,000 sheets or 5 years

### Hardware and software capabilities

Processor type: 200 MHz  
Memory PagePro 1350EN: 32 MB (max. 160 MB)  
Memory PagePro 1350E: 16 MB (max. 144 MB)  
Printer emulations: PCL® 6, PCL® 5e

### Typefaces

45 PCL® Fonts

### Interface support

Standard interfaces: IEEE 1284 parallel interface supporting Microsoft 'Plug and Play', USB 2.0 (High-Speed), Ethernet 100BaseTX/10BaseT/100BaseT (only PP 1350EN)

### Paper handling

Standard paper input: 250-sheets multi-purpose tray  
Standard paper output: 100-sheet face-down output tray  
Duplex printing: manual  
Paper sizes supported: A4, A5, folio (A4 Plus), statement, letter, letter plus, UK Quatro 8x10", executive, B5(JIS), B5(ISO), foolscap, legal, postcard, double postcard, Govt legal, Govt letter, envelope DL, monarch, C5, C6, Japanese Chou 3, Japanese Chou 4, Chinese Kai 16, Chinese Kai 32, plain paper, recycled paper, thick stock, OHP transparencies, laser-quality labels, envelopes and Japanese post office standard postcards  
Paper weights: plain paper: 60 - 90 g/m<sup>2</sup>, thick stock: 90 - 163 g/m<sup>2</sup>

### Operating system compatibility

Windows® XP Home Edition & XP Professional/ME/98SE/ NT 4.0 Workstation & Server/ 2000 Server/ 2003 Server/ DOS, SAP3, Mac® OS X (10.2 and higher) & Linux®

### Physical

Type: Laser printer with internal controller  
Dimensions: (D) 448 mm x (W) 387mm x (H) 283 mm  
Weight: without consumables 7 kg; 7.8 kg shipped with consumables

### Electrical

Power requirements (220V/240V): VAC ±10%, 50/60 ±3% Hz  
Power consumption (220V/240V): 900W (max.), 376W average during printing, 15W (standby)

Dealer address

### Environmental

Temperature requirements: 10° to 35° C (operating), 0° to 35° (non-operating)  
Humidity: 15% to 85% RH (operating), 10% to 85% RH (non-operating)  
Noise levels: <54 dBA (operating), <39dBA (standby)

### Regulatory/Safety conformity

UL, cUL, FCC-B, DOC, VCCI, CE Marking, C-Tick, CDRH

### Consumables<sup>1</sup>

Printer ships with cartridge 1,500 pages; OPC drum cartridge 20,000 pages  
Replacement consumables:  
Toner: high capacity 6,000 pages; standard capacity 3,000 pages  
Drum: OPC drum cartridge 20,000 pages

### Warranty period and conditions

1 year PROTECT.REPLACE swap warranty (within EU; local law applies)

<sup>1</sup> The stated life expectancy of each consumable in your printer is based on printing under specific operating conditions such as page coverage for a particular page size (5% coverage of A4). The actual consumables life will vary depending on the use and other printing variables including page coverage, page size, media type, continuous or intermittent printing, ambient temperature and humidity.

<sup>2</sup> The addition of some options, in some combinations may cause the product to become non-compliant. Energy Star compliance does not represent an EPA endorsement of any product or service.

<sup>3</sup> Using third party solution.

Specifications and accessories are based on the information available at the time of printing, and are subject to change without notice. For the latest information, please visit [printer.konicaminolta.com](http://printer.konicaminolta.com)

### Models Specific Features

Print speed:	1200 x 1200 dpi	10 ppm
	1200 x 600 dpi	20 ppm
	600 x 600 dpi	20 ppm
Resolution:	Up to 1200 x 1200 dpi	
Emulations:	PCL® 6, PCL® 5e	
Memory (RAM):	1350E: 16 MB (max. 144 MB)	
	1350EN: 32 MB (max. 160 MB)	
250-sheet multi-purpose tray feeder:	Standard	
100-sheet face-down tray:	Standard	
USB 2.0 (High-Speed) and Parallel interface:	Standard	
Integrated network:	PagePro 1350EN	
Duplexing:	Manual	

©2006 KONICA MINOLTA All rights reserved. Specifications are subject to change without notice. The KONICA MINOLTA logo, PagePro and Fine ART are trademarks or registered trademarks of KONICA MINOLTA. All other trademarks or registered trademarks are the property of their respective owners.

Websites:  
[www.konicaminolta.co.uk/printer](http://www.konicaminolta.co.uk/printer)  
[www.q-shop.com](http://www.q-shop.com)

Part Number: 1760585-002



**Belgium and Luxemburg**  
Tel: (+32) 2 717 09 89 (French)  
(+32) 2 717 09 91 (Dutch)  
Fax: (+32) 2 717 09 26

**France**  
Tel: (+33) 01 41 07 93 93  
Fax: (+33) 01 40 83 01 10

**Middle East**  
Tel: (+97) 1 4 335 2574  
Fax: (+97) 1 4 335 2573

**Spain**  
Tel: (+34) 91 327 73 00  
Fax: (+34) 91 327 09 00

**The Netherlands**  
Tel: (+31) 30 248 1200  
Fax: (+31) 30 248 1211

**For all other countries**  
**Konica Minolta**  
**Printing Solutions**  
**Europe B.V.**  
Tel: (+31) 30 248 1200  
Fax: (+31) 30 248 1211

**Denmark**  
Tel: (+45) 72 21 21 21  
Fax: (+45) 72 21 21 22

**Germany and Austria**  
Tel: (+49) 89 63 02 67 0  
Fax: (+49) 89 63 02 67 67

**Norway**  
Tel: (+47) 2 27 89 800  
Fax: (+47) 2 27 89 850

**Sweden**  
Tel: (+46) 8 622 51 00  
Fax: (+46) 8 622 51 24

**United Kingdom**  
Tel: (+44) 1784 44 22 55  
Fax: (+44) 1784 46 16 41

**Finland**  
Tel: (+358) 9 4 20 61  
Fax: (+358) 9 4 20 62 00

**Italy**  
Tel: (+39) 02 39 011 1  
Fax: (+39) 02 39 011 219

**Portugal**  
Tel: (+351) 949 21 26  
Fax: (+351) 219 49 21 06

**Switzerland**  
Tel: (+41) 43 322 90 20  
Fax: (+41) 43 322 90 29

**Ireland**  
Tel: (+44) 1800 23 00 00  
Fax: (+44) 01 46 22 645