



Xerox® VersaLink® B400 Printer and Xerox® VersaLink® B405 Multifunction Printer

Redefining office productivity.



Xerox® VersaLink® B400 Printer and Xerox® VersaLink® B405 Multifunction Printer

Whether stand-alone or as a part of your extended fleet, the Xerox® VersaLink B400 Printer and VersaLink B405 Multifunction Printer take your team to new levels of productivity. Work the way you want – from any device – with maximum security and easy connectivity to and from both cloud and network-based locations.

Easy, optimised productivity.

Right out of the box, you'll count on your Xerox® VersaLink® B400 Printer or VersaLink B405 Multifunction Printer to consistently and flawlessly perform the tasks that make your business work more efficiently. From IT-free installation wizards, to step-by-step configuration options, you're ready to go – hassle free.

And count on day-in, day-out reliability thanks to our trusted paper path technology.

VersaLink devices are loaded with features and time-saving Xerox technologies designed to speed up information sharing and reduce inefficient workflows. Ensure information accuracy with Scan and Fax preview,¹ and do more with scanned documents with built-in optical character recognition (OCR).¹

Print with total peace of mind knowing that VersaLink devices deliver a spectrum of stringent security features, including Secure Print and card authentication to control access.

An entirely new way to work.

With the customisable 5-inch colour touchscreen, you can tap, swipe and pinch your way through tasks and functions with mobile-like ease.

Preloaded Xerox® ConnectKey® Apps help optimise office efficiency, and on-screen access to the extensive Xerox® App Gallery provides expanded functionality – like the Xerox® Easy Translator Service app¹, which quickly translates scanned documents into numerous languages.

Speed through tasks by saving common settings as presets for simple, single-touch job setup. With Simple ID, individual users and groups enter a user ID and password once, and then enjoy fast, secure, easy access to task-specific presets and commonly used apps on a personalised home screen.

Upward mobility for every work style.

The VersaLink B400 Printer and VersaLink B405 Multifunction Printer give you the freedom to work where and how you want – with direct connectivity to Google Drive™, Microsoft® OneDrive® and DropBox™, and access to additional options through the Xerox® App Gallery.

The ability to connect and print from multiple devices is key for today's worker, and VersaLink devices meet the challenge with optional Wi-Fi and Wi-Fi Direct, plus Apple® AirPrint®, Google Cloud Print™, Xerox® Print Service Plug-in for Android™, Near Field Communication (NFC) Tap-to-Pair and Mopria®.

Learn more about why Xerox is the only choice for today's mobile professionals by visiting www.xerox.com/mobile

To learn more about VersaLink device features, go to www.xerox.com/VersalinkEG

¹ VersaLink B405 only

Xerox® VersaLink® B400 Quick Facts


- Print up to 45 ppm
- NFC Tap-to-Pair and optional Wi-Fi and Wi-Fi Direct
- Standard 700-sheet paper capacity / Maximum 2,350 sheets
- 150-sheet Bypass Tray
- Up to 1200 x 1200 dpi (enhanced)

WxDxH:

459 x 426 x 339 mm

Weight:

14 kg



Xerox® VersaLink® B405 Quick Facts

- Print up to 45 ppm
- 60-sheet Reversing Automatic Document Feeder (RADF)
- NFC Tap-to-Pair and optional Wi-Fi and Wi-Fi Direct
- Standard 700-sheet paper capacity / Maximum 2,350 sheets
- 150-sheet Bypass Tray
- Up to 1200 x 1200 dpi (enhanced)

WxDxH:

495 x 495 x 551 mm

Weight:

22 kg



Choose the configuration that meets your needs:

- 1 A 60-sheet Reversing Automatic Document Feeder (RADF) scans two-sided originals for copy, scan and fax jobs.
- 2 Card Reader Bay with embedded USB port.²
- 3 An easily accessible USB port² allows users to quickly print from or scan to³ any standard USB memory device.
- 4 250-sheet output tray with tray-full sensor.
- 5 150-sheet Bypass Tray handles media sizes from 76 x 127 mm to 216 x 356 mm.
- 6 With the 550-sheet paper tray, standard paper capacity totals 700 sheets (including Bypass Tray).
- 7 Up to three optional 550-sheet paper trays increase total paper capacity to 2,350 sheets.
- 8 Optional stand provides storage for toner cartridges, paper and other supplies.

² USB ports can be disabled; ³ VersaLink B405 only.



Xerox® VersaLink® B400 Printer
Print.



Xerox® VersaLink® B405 Multifunction Printer
Print. Copy. Scan. Fax. Email.

Introducing touch-screen superiority.

Meet our tiltable, 5-inch capacitive colour touch-screen – the user interface that sets a higher standard for customisation, personalisation and versatility.

By presenting a familiar “mobile” experience – with support for gestural input and task-focussed apps that share a common look and feel – fewer steps are needed to complete even the most complex jobs.

A highly intuitive layout guides you through every task from start to finish, with a natural hierarchy placing critical functions near the top of the screen and commonly used options front and centre. Don't like where a function or app is located? Customise the layout to make it yours.

This unmatched balance of hardware technology and software capability helps everyone who interacts with the VersaLink B400 Printer or VersaLink B405 Multifunction Printer get more work done, faster.



Xerox® VersaLink® B400 Printer and Xerox® VersaLink® B405 Multifunction Printer

Device Specifications		VersaLink B400DN	VersaLink B405DN
Speed		Up to 45 ppm A4	
Duty Cycle ¹		Up to 110,000 pages / month ¹	
Processor / Memory		1.1 GHz Dual Core / 2 GB	
Connectivity	Standard	Ethernet 10/100/1000 Base-T, High-speed USB 3.0, NFC Tap-to-Pair	
	Optional	Wi-Fi 802.11n and Wi-Fi Direct with optional Wi-Fi Kit (concurrent wired and wireless connections supported)	
Controller Features		Unified Address Book (B405), Configuration Cloning, Scan Preview (B405), Xerox Extensible Interface Platform®, Xerox® App Gallery, Xerox® Standard Accounting, Online Support (accessed from the user interface and print driver)	
Paper Handling	Standard	Paper Input	NA
			Reversing Automatic Document Feeder (RADF): 60 sheets; Custom sizes: 140 x 140 mm to Hea216 x 356 mm
	Optional		Bypass Tray: Up to 150 sheets; Custom sizes: 76 x 127 mm to 216 x 356 mm
			Tray 1: Up to 550 sheets; Custom sizes: 148 x 210 mm to 216 x 356 mm
		3 Additional Trays: Up to 550 sheets each; Custom sizes: 148 x 210 mm to 216 x 356 mm	
Total Capacity (std. / max.)		700 sheets / 2,350 sheets	
Paper Output		250 sheets	
Automatic Two-sided Output		Standard	
Copy and Print	Resolution	Print:	Up to 1200 x 1200 dpi (enhanced)
		Copy:	Up to 600 x 600 dpi
First-page-out Time (as fast as)		Print:	As fast as 8 seconds
		Copy:	As fast as 6 seconds
Page Description Languages		PCL® 5e / PCL 6 / PDF / XPS / TIFF / JPEG / HP-GL / Adobe® PostScript® 3™	
Print Features		Print from USB, Secure Print, Sample Set, Personal Print, Saved Job, Xerox® Earth Smart Driver Settings, Job Identification, Booklet Creation, Store and Recall Driver Settings, Bi-directional Real-time Status, Scaling, Job Monitoring, Application Defaults, Two-sided Printing (as default), Skip Blank Pages, Draft Mode	
Mobile Printing		Apple® AirPrint®, Google Cloud Print™, Xerox® Print Service Plug-in for Android™, Mopria® Print Service Plug-in for Android™ Visit www.xerox.com/officemobileapps for a list of downloadable apps available for smartphones and mobile devices.	
Printer/MFP Cloud Connectors ²	Optional	@PrintByXerox ² , Wi-Fi Direct Printing ³ , Xerox® Mobile Print Solution ³ , Xerox® Mobile Print Cloud ³ , Xerox® Mobile Link App (B405) ²	
	Cloud Services	Print from/Scan to ⁴	Google Drive, One Drive, DropBox, Microsoft 365, Box, DocuShare
			NA
		Additional printer/MFP apps and cloud services available. Visit www.xerox.com/appgallery for a growing selection of apps.	
Scan	Scan Destinations		Scan to USB, Scan to Email, Scan to Network (FTP or Browse SMB)
	Scan Features	NA	File Formats: PDF, PDF/A, XPS, JPEG, TIFF; Convenience Features: Scan to Home, Searchable PDF, Single/Multi-Page PDF / XPS / TIFF / Password-Protected PDF, Linearised PDF / PDF/A
Fax	Fax Features ⁵		Walk-up Fax (one-line or three-line options available, includes LAN Fax, Direct Fax, Fax Forward to Email), Fax dialing via Unified Address Book (up to 2,000 contacts)
Security	Standard	Firmware Verification, Security Certificates, Automatic Self-Signed Certificate Creation, Certificate Path Validation, Certificate Revocation Settings, Smart Card Enablement (CAC/PIV/.NET), FIPS 140-2, SSL/TLS, Port Filtering, IP Address Filtering, Domain Filtering, Cisco® TrustSec Identity Services Engine (ISE) Integration, HDD Overwrite, 256-bit Encryption, Secure Print, Secure Fax (B405), Secure Scan (B405), Secure Email (B405), Network Authentication, SNMPv3, Audit Log, Access Controls, Role-Based Permissions, Role Based Permissions, Convenience Authentication	
	Optional	Xerox® PrintSafe Software	
Accounting	Standard	Xerox® Standard Accounting (Print), Network Accounting Enablement, Foreign Device Interface	Xerox® Standard Accounting (Copy, Print, Scan, Fax, Email), Network Accounting Enablement, Foreign Device Interface
	Optional	Equitrac Express®, Equitrac Office®, YSoft® SafeQ®, other network accounting solutions available through various Xerox Alliance Partners	
Warranty		One year on-site warranty ⁶	

¹ Maximum volume capacity expected in any one month. Not expected to be sustained on a regular basis; ² Free option (download from Xerox® App Gallery to your printer/MFP); ³ Purchasable option; ⁴ Scan to available for B405 only; ⁵ Analogue phone line required; ⁶ Products purchased under a PagePack / eClick agreement do not carry a warranty. Please refer to your service agreement for full details of your enhanced service package.

Device Management

Xerox® Embedded Web Server, Xerox® CentreWare® Web, Email Alerts, Apple® Bonjour®

Print Drivers

Windows® 7, 8, 10 Server 2000, Server 2003, Server 2008, Server 2008 R2 Server 2012, Mac OS® version 10.9 and higher, Citrix, Redhat® Enterprise, Linux®, IBM® AIX® 5, HP-UX® 11iv2, Oracle® Solaris 9, 10, Fedora Core 12-15, SUSE®, Xerox® Global Print Driver®, Xerox® Mobile Express Driver®

Font Capability

87 PostScript Fonts; 88 PCL Fonts

Media Handling

Duplex Automatic Document Feeder: Simplex: 50 to 125 gsm; Duplex: 60 to 125 gsm; Bypass Tray: 60 to 220 gsm; Tray 1: 60 to 220 gsm; Three Additional Trays (Optional): 60 to 220 gsm

Operating Environment

Temperature: 10 to 32° C; Humidity: 10% to 85%; Sound Power: Printing: 7.5 B(A); Standby: 5.3 B(A); Sound Pressure: Printing: 56 dB(A), Standby: 30 dB(A); Boot Time (from Off to UI Ready): as fast as 60 seconds, Warm-up Time (from Sleep to UI Ready): as fast as 4 seconds

Electrical

Power: 220-240 VAC, 50/60 Hz, 6A; B400: Continuous Printing: 565 watts; Ready (Standby): 46 watts; Energy Saver Mode (Sleep): 4 watts or less; B405: Continuous Printing: 620 watts; Ready (Standby): 60 watts; Energy Saver Mode (Sleep): 4 watts or less

What Comes in the Box

- VersaLink B400 or VersaLink B405
- Starter Toner Cartridge (6,000 pages³)
- Drum Cartridge (65,000 pages⁴)
- Software and Documentation CD (with Safety, Regulatory, Recycling and Disposal Guides), Print Drivers and Warranty Statement
- Installation Guide
- Quick Use Guides
- Power Cable
- Fax Cord (VersaLink B405 only)

Certifications

To view the latest list of certifications, go to www.xerox.com/OfficeCertifications

Supplies

Standard-Capacity Toner Cartridge: 5,900 pages¹ 106R03580
High-Capacity Toner Cartridge: 13,900 pages¹ 106R03582
Extra-High-Capacity Toner Cartridge: 24,600 pages¹ 106R03584
Drum Cartridge: 65,000 pages² 101R00554

Options

550-sheet Feeder (B400) 497K13620
550-sheet Feeder (B405) 497K13630
Productivity Kit with 16 GB Solid State Drive 097S04913
Stand 497K13660
Wireless Network Adapter (Wi-Fi Kit) 497K16750
Foreign Device Interface Kit 497K17830

¹ Average standard pages. Declared Yield in accordance with ISO/IEC 19752. Yield will vary based on image, area coverage and print mode.

² Approximate pages. Declared yield based on an average job size of three A4-size pages. Yield will vary depending on job run length and media size and orientation.

Configurations vary by geography.

For more detailed specifications, go to www.xerox.com/VersalinkB400Specs or www.xerox.com/VersalinkB405Specs
For more information, visit us at www.xerox.com/office

©2017 Xerox Corporation. All rights reserved. Xerox®, Xerox and Design®, CentreWare®, Global Print Driver®, Mobile Express Driver®, Phaser®, Scan to PC Desktop®, WorkCentre® and Xerox eConcierge® are trademarks of Xerox Corporation in the United States and/or other countries. (As an ENERGY STAR® partner, Xerox Corporation has determined that this product meets the ENERGY STAR guidelines for energy efficiency (DN configurations). ENERGY STAR and the ENERGY STAR mark are registered U.S. marks. The information in this brochure is subject to change without notice. 02/17 BR20488 VB4BR-01EA

