

DCP-J715CW

LC1100 Cartridges

Wireless colour Inkjet Multifunction Printer with 8.2cm Colour LCD and Automatic Document Feeder



Freedom! That's what our DCP-J715W gives you. Its wireless network connection is really simple to set up, to let you print from anywhere around your home or office. As well as the fast print speeds, you can quickly scan and copy documents too with the 15 sheet Automatic Document Feeder. What's more, you can even print photos quickly and easily – direct from your camera or a USB memory stick.

- Save time with fast 28/35ppm colour/mono print speed
- Lab quality photo's in 30 seconds
- Compact size – Ideal desktop device
- Easy wireless set-up, plus extra peace of mind with the latest wireless security
- Print without limits with borderless colour printing
- Easily enhance photos with the larger 8.2cm TFT LCD screen
- 15 sheet Automatic Document Feeder
- Individual inks to help keep costs down – replace only the one that's run out
- Dedicated 20 sheet tray for photo paper
- Choose how to connect with Media Card, PictBridge and USB Host options built-in
- Don't lose any detail, with up to 19200 x 19200dpi colour scan resolution
- Network Ready
- FREE iPhone, iPad, Android app available
- Includes free photo editing software
- Added peace of mind with free 12-month warranty and lifetime technical support
- Green and clean technology that meets Energy Star & Blue Angel environmental standards

Detailed Spec

General

| | |
|---|--|
| Engine | Inkjet |
| Max. Flatbed paper Input width / height | 216 / 297mm |
| Input Paper Capacity | 100 sheets |
| Photo Paper Tray Capacity | 20 Sheets |
| Output paper capacity | 50 sheets |
| Output width / height | 89 – 216mm / 127 – 356mm |
| LCD Display Size | 8.2cm Wide Colour TFT LCD |
| On-screen programming | Step by step prompts are displayed within the LCD in order to facilitate programming machine options and settings. |
| Total Memory Capacity | 40MB |
| Simultaneous Operation | Yes |
| Ink gauge indication | Ink levels can easily be displayed in the LCD using the ink management key |
| Power save button | This model has an On/Off button on the control panel |

Colour Printer

| | |
|---------------------|--|
| Speed | Up to 35pages per minute for in black & white and up to 28 pages per minute for colour (150 x 600dpi) 30 second 4x6 Photo |
| Warm-up time | 0 seconds |
| Resolution | Up to 6,000 x 1,200 dpi (Horizontal x vertical) |
| Paper Handling Size | A4 / A5 / A6 / EXE / LTR / LGL / JISB5 / Photo 10 x 15cm, 89 x 127mm, 127 x 178mm / Postcard 100 x 148mm, 148 x 200mm / Index card 127 x 203mm / C5 Envelopes / COM 10 / DL / JE4 Envelope. |
| Media type | Plain / Inkjet / Glossy / Transparency |
| Media weight | 64 – 220 g/m2 (up to 260 g/m2 with Brother BP71 paper) |
| Borderless printing | Borderless printing is available for A4/Ltr/A6/Photo Card/Index Card/Post Card |
| Droplet Size | Minimum droplet size of 1.5pl |
| Colour Enhancement | Brother Image Enhancement allows the user to customise colour output |
| Printer Driver | Compatible with: Windows [®] 7/Windows Vista [®] / Windows [®] XP Home/XP Professional(32&64 Bit Editions) 2000 Professional / Windows Server [®] 2003/ 2003 R2(32&64 Bit Editions) Windows Server [®] 2008/ 2008 R2 / Mac OS X 10.4.11, 10.5.x, 10.6.x |

Colour Copy

| | |
|-----------------------------|--|
| Speed | Up to 23copies per minute in black & white and up to 20 copies per minute for Colour (150 x 600dpi) |
| Resolution | 1,200 x 1,200 dpi Mono and 600 x 1,200 dpi Colour |
| Enlargement/Reduction Ratio | Reduce or Increase document sizes from 25% to 400% in 1% increments |
| Multi Copy | Up to 99 copies of the original |

Colour Scanner

| | |
|---------------------------|---|
| Technology | CIS (Contact Image Sensor) |
| Warm-up time | 0 Seconds |
| Resolution (Optical) | Up to 1,200 x 2,400 dpi |
| Resolution (Interpolated) | Up to 19,200 x 19,200 dpi |
| Speed | Scan speed is from 3.44 sec for black & white and from 4.83 seconds for colour (A4, 100 x 100dpi) |
| Grey Scale | 256 shades of grey are available for copying or scanning |
| Colour Depth | This model has a 36 bit internal processing colour scanner |
| Twain Compliant | This model is TWAIN and WIA compliant for Windows [®] (WIA is Windows [®] |
| XP/Vista/7 only) | |
| Operating System | Windows [®] 2000/XP/Vista/7, Mac OS X 10.4.11, 10.5.x, 10.6.x |
| 'Scan to' Key | Allows the user to scan to E-mail, OCR, Image, File, Media Card or USB Flash memory Drive. (file for Windows [®] and Mac OS X 10.4.11, 10.5.x, 10.6.x) |
| | Supporting: JPEG, BMP, PDF, TIFF, PNG |

List / Report

| | |
|-----------|---|
| Help List | A list of basic operational steps and functions |
|-----------|---|

Interface

| | |
|-------------------------------|---|
| Host Interface (USB) | Hi speed USB 2.0 interface as standard |
| Network Interface as standard | This model is supplied with a built in 10/100 Base-TX network interface |
| Wireless Ready as standard | This model is supplied with built-in 802.11b/g Wireless |

Direct Photo Printing

| | |
|--------------------------------------|---|
| PictBridge Connection | Yes |
| Print From USB Flash Drive | Yes (JPEG only) |
| PhotoCapture Centre compatible with: | Memory Stick: 16MB-128MB (Duo with Adapter) Memory Stick Pro: 256MB-16GB (MagicGate: YES if not use MG function) Secure Digital: 16MB-2GB (MiniSD with Adapter) Secure Digital High Capacity (SDHC): 4-8GB |
| Media format | The following media formats are supported by this model: DPOF, EXIF, DCF |
| Image format | The following image formats are supported by this model: Photo print – JPEG Scan to card – JPEG, PDF (colour) / TIFF, PDF (black & white) |
| Removable disk drive | The PhotoCapture Centre™ can be used as a removable disk drive in order to save and retrieve files onto any of the listed Media cards |
| LCD Photo enhance | Edit and enhance images using the colour LCD |

Built-in Network as standard

| | |
|------------------------|---|
| Network connection | 10/100 Base-TX, Wireless LAN IEEE802.11b/g (Infrastructure Mode/Adhoc Mode) |
| Network functions | Printing, Scanning, PhotoCapture, (Network Scanning 2 user license supplied as standard) |
| Protocol support | TCP-IP - Including the following: ARP/RARP, BOOTP, DHCP, APIPA, WINS/NetBIOS, LPR/LPD, Port9100, mDNS, FTP, TELNET, SNMP, TFTP, SMTP, POP3, Scanner Port |
| Wireless Setup | Wi-Fi Protected Setup™ (WPS), AirStation OneTouch Secure System™ (AOSS) |
| Wireless Security | WEP 64/128, WPA-PSK (TKIP), WPA2-PSK (TKIP&AES) |
| Operating system | Print / Scan / PhotoCapture Centre™: Win 2000/XP/Vista/7 Print / Scan / PhotoCapture Centre™: Mac OS X 10.4.11, 10.5.x, 10.6.x |
| Network Management | BRAdmin Light |
| Optional user licences | Optional 5 user licences are available to purchase (NL-5) |

Weights and Measures

| | |
|-------------------|---|
| With Carton | 465(W) x 255(D) x 460(H) mm – 10.4KG |
| Without Carton | 390(W) x 375(D) x 180(H) mm - 7.5Kg |
| Power Consumption | Operating 17 Watts Ready 6 Watts Standby 0.5 Watts |
| Machine Noise | Peak Printing Approx 50dB(A) |

4 Separate Ink Cartridges

| | | |
|---------|----------|-----------------------------|
| Black | LC1100BK | Approximately 450 A4 pages* |
| Cyan | LC1100C | Approximately 325 A4 pages* |
| Magenta | LC1100M | Approximately 325 A4 pages* |
| Yellow | LC1100Y | Approximately 325 A4 pages* |

* Aprox. cartridge yield is declared in accordance with ISO/IEC 24711
www.brother.com/pageyield

Brother Paper

| | |
|---------|---|
| BP71GA: | A4 glossy photo paper, 20 sheets |
| BP71GP: | 4x6" glossy photo paper, 20 / 50 sheets |
| BP60MA: | A4 Matte inkjet paper, 25 sheets |
| BP60PA: | A4 inkjet paper, 250 sheets |

Box Contents

Ink Cartridges - Black, Cyan, Magenta, Yellow ink cartridges
Driver Software for Windows[®] and Macintosh[®] (CD ROM)
Reallusion[®] FaceFilter Studio Software (CD ROM)

Power Supply Cord
Quick Setup Guide
Sample Paper Pack
User's guide

PC Interface cable not included